

Message

---

**From:** Santos, Carmen [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C40BE41752E548B58E4527771BFE6085-CSANTOS]  
**Sent:** 6/8/2018 6:15:50 PM  
**To:** Rykaczewski, Dave A. [Dave.Rykaczewski@wsp.com]  
**CC:** Cepko, Russ P [Russ.Cepko@cbs.com]  
**Subject:** RE: CBS / Former Westinghouse - Excel spreadsheet for each DU

Hello David,

Thank you for creating and sending the Excel files with 95% UCL calculations for the warehouse building interior DUs. I appreciate it. We have many of these calculations to review for other sites and will begin the review of the calculations that you sent to me by the end of next week. At this time it seems we are not able to begin that review sooner.

We have a call on Wednesday June 13?

Enjoy a nice weekend.

Best,  
Carmen D. Santos  
PCB Coordinator



USEPA Region 9  
Land Division, LND-4-1  
75 Hawthorne Street  
San Francisco, CA 94105  
415.972.3360  
[santos.carmen@epa.gov](mailto:santos.carmen@epa.gov)

*"I am imagination. I can see what the eyes cannot see. I can hear what the ears cannot hear. I can feel what the heart cannot feel." Zarienga*

~~~~~  
Before printing this message and/or attachments: Think Green

{This e-mail including any attachments, may contain non-public, privileged, and/or confidential information solely intended for the designated recipient(s). If you receive this e-mail and are not an intended recipient, please delete this e-mail and its attachments right away. Unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

\*\*\*\*\*

---

**From:** Rykaczewski, Dave A. [mailto:Dave.Rykaczewski@wsp.com]  
**Sent:** Tuesday, June 05, 2018 2:00 PM  
**To:** Santos, Carmen <Santos.Carmen@epa.gov>  
**Cc:** Cepko, Russ P <Russ.Cepko@cbs.com>  
**Subject:** RE: CBS / Former Westinghouse - Excel spreadsheet for each DU

Carmen,

The attached files have the data for each decision unit. Please let us know if this format suits your needs.

Thanks,  
Dave

**Dave Rykaczewski, PE**

Senior Technical Manager  
Water & Environment



11 Stanwix Street, Suite 950, Pittsburgh, PA 15222

Direct: +1-412-375-0282

Main: +1-412-604-1040

Mobile: +1-412-418-0140

Please note I have a new address.

[www.wsp.com/usa](http://www.wsp.com/usa)

---

**From:** Santos, Carmen [<mailto:Santos.Carmen@epa.gov>]

**Sent:** Wednesday, May 30, 2018 5:41 PM

**To:** Rykaczewski, Dave A. <[Dave.Rykaczewski@wsp.com](mailto:Dave.Rykaczewski@wsp.com)>

**Cc:** Cepko, Russ P <[Russ.Cepko@cbs.com](mailto:Russ.Cepko@cbs.com)>

**Subject:** CBS / Former Westinghouse - Excel spreadsheet for each DU

Hi Dave,

I hope that your week is going well. We tried to begin our review of the Excel calculations that you sent to me. Please resend the Excel table containing separate sheets for each DU. Each separate sheet should include the individual data for each of the DUs described in the proposed cleanup approach. The revised Excel book will help and allow us review the 95% UCL calculations.

Thank you for your courtesies and please call me if you have questions about this email.

Best,

Carmen D. Santos

PCB Coordinator



USEPA Region 9

Land Division, LND-4-1

75 Hawthorne Street

San Francisco, CA 94105

415.972.3360

[santos.carmen@epa.gov](mailto:santos.carmen@epa.gov)

*"I am imagination. I can see what the eyes cannot see. I can hear what the ears cannot hear. I can feel what the heart cannot feel." Zarlenga*

~~~~~

Before printing this message and/or attachments: Think Green

{This e-mail including any attachments, may contain non-public, privileged, and/or confidential information solely intended for the designated recipient(s). If you receive this e-mail and are not an intended recipient, please delete this e-mail and its attachments right away. Unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

\*\*\*\*\*